


- GENERAL NOTES:**
- NOT USED.
 - ALL GROUNDING CONDUCTORS SHALL BE #4/D STRANDED BARE COPPER (SBC), UNLESS NOTED OTHERWISE.
 - ALL GROUND CONNECTIONS SHALL BE EXOTHERMIC.
 - STUB-UP UNDERGROUND CONDUIT W/ GROUNDING BUSHING.
 - INSTALL GROUND BAR ON COLUMNS AS SHOWN. GROUND STEEL COLUMN TO THE GROUND BAR. IF INSTALLED ON THE COLUMN, UNLESS SHOWN OTHERWISE, GROUND ALTERNATE STEEL COLUMN AND REBAR DIRECTLY TO GROUND GRID CONDUCTORS.
 - LIGHTNING PROTECTION SYSTEM DOWN CONDUCTORS TO BE ATTACHED TO STRUCTURAL STEEL OR CONCRETE COLUMNS WITH UL LISTED CONNECTORS.
 - IN EACH AREA CONTAINING ELECTRICAL EQUIPMENT, ACCESS TO THE GROUNDING SYSTEM MUST BE AVAILABLE EITHER FROM STRUCTURAL STEEL OR THE BUILDING GROUND GRID.
 - ALL GROUND CONDUCTORS SHOWN WITHIN THE BUILDING ARE EMBEDDED IN THE FLOOR CONCRETE.

SHEET KEYNOTES

[N001] PROVIDE AND INSTALL GROUND BAR @ EVERY STEEL COLUMN AS REQUIRED 2'-0" ABOVE MEZZANINE LEVEL. REFERENCE DWG E8.10.02 FOR DETAILS, UON.



108030700-E8E-8700-A156

KNIGHT
Knight Advanced Technology
548 West Franklin Street
Chattanooga, TN 37403
905-241-9433
Fax: 905-241-3400

UT-BATTELLE
Oak Ridge National Laboratory
managed for the DEPARTMENT OF ENERGY under
U.S. GOVERNMENT contract DE-AC05-00OR22725
at BATTELLE, LLC # Oak Ridge, Tennessee

PROJECT NAME:
SPALLATION NEUTRON SOURCE

**TARGET BUILDING
ELECTRICAL GROUNDING PLAN
LEVEL 2, SECTOR 44**

1	48	49	50	PLANT	BLDG	FL	SH.	OF	TYPE	CLASS
3	E	X	X	8	8700	1	1	1	P	U
51	NC	52	NA	5.3	WBS	1.8.3.7	E7.02.44			
REV										

REV	DATE	DESCRIPTION	DSN	CHK	DEPT	DATE	PE	DATE	PJ	DATE	REQ	DATE	UTB	DATE	RPE	RPE NO	DATE	ST	CV	EC	EE	EM	IE	M	PD	SE	AR	
0		CERTIFIED FOR CONSTRUCTION - 10/26/01	HG	VGS																								

THIS DOCUMENT CONTROLLED BY

CHANGE CONTROL SYSTEM 3

ENGINEERING PROCEDURE SNS-ENG-0001

SECTION AND DETAIL KEY

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDERS ARE NOT TO BE USED FOR CHECK PURPOSES AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

AutocAD

H
G
F
E
D
C
A

H
G
F
E
D
C
A

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1