

APRIL 2, 2001



Steel Pipe Couplings

NET PRICE SHEET J-301-C

This price sheet supersedes Sheet J-100-C.

STANDARD MERCHANT COUPLINGS TO ASTM A 865 SPECIFICATIONS

Size	Black Price Per C	Black Price Per C	Galv. Price Per C	Galv. Price Per C	Quantity	Approx. Weight LBS. Per C	Couplings O.D.	Length	Threads Per Inch
	Straight Tapped	Taper Tapped	Straight Tapped	Taper Tapped	Per Carton				
1/8"	33.92	117.15	41.42	126.35	100	3	.563"	13/16"	27
1/4"	46.74	119.77	53.82	129.44	100	7	.719"	1-3/16"	18
3/8"	56.21	130.37	68.89	142.97	100	9	.875"	1-3/16"	18
1/2"	59.73	238.92	73.22	285.42	100	17	1.063"	1-9/16"	14
3/4"	76.29	254.97	91.79	305.31	50	26	1.313"	1-5/8"	14
1"	106.68	329.26	128.32	393.12	30	40	1.576"	2"	11-1/2
1-1/4"	136.19	473.97	164.29	548.25	25	48	1.900"	2-1/16"	11-1/2
1-1/2"	172.49	473.97	203.66	548.25	25	67	2.200"	2-1/16"	11-1/2
2"	247.02	731.38	304.92	929.93	20	105	2.750"	2-1/8"	11-1/2
2- 1/2"	773.86	703.52	950.55	864.14	Bulk	209	3.250"	3-1/8"	8
3"	1,086.11	987.38	1,261.50	1,146.82	Bulk	335	4.000"	3-1/4"	8
3-1/2"	1,925.42	1,750.37	2,223.43	2,021.29	Bulk	482	4.625"	3-3/8"	8
4"	1,925.42	1,750.37	2,223.43	2,021.29	Bulk	461	5.000"	3-1/2"	8
5"	3,526.33	3,205.77	4,135.59	3,759.61	Bulk	852	6.296"	3-3/4"	8
6"	4,221.68	3,837.89	5,089.18	4,626.53	Bulk	1,127	7.390"	4"	8

NOTE-Unless specified otherwise, Standard Merchant Couplings in sizes 1/8" to 2" inclusive will be supplied straight tapped.

ASTM specifies Straight Tapped in sizes up to and including 2"; Taper Tapped in sizes 2-1/2" and larger.

Galvanized Couplings furnished Electro Zinc Plated I.D. & O. D.

Black Couplings furnished with phosphate coating.

For couplings over 6" use A.P.I. Line Coupling Schedule.

A.P.I LINE AND EXTRA HEAVY RECESSED COUPLINGS

Size	Price Per C	Price Per C	Quantity	Approx. Weight LBS. Per C	Coupling O.D.	Length	Threads Per Inch
	Black	Galv	Per Carton				
1/8"	132.93	143.56	100	4	.563"	1-1/16"	27
1/4"	174.15	188.21	100	9	.719"	1-5/8"	18
3/8"	189.59	207.88	100	13	.875"	1-5/8"	18
1/2"	256.64	306.01	75	24	1.063"	2-1/8"	14
3/4"	273.88	327.88	50	34	1.313"	2-1/8"	14
1"	348.65	422.29	25	54	1.576"	2-5/8"	11-1/2
1-1/4"	560.05	647.84	25	103	2.054"	2-3/4"	11-1/2
1-1/2"	560.05	647.84	20	90	2.200"	2-3/4"	11-1/2
2"	852.18	1,078.29	15	186	2.875"	2-7/8"	11-1/2
2- 1/2"	1,266.26	1,419.25	Bulk	327	3.375"	4-1/8"	8
3"	1,503.81	1,694.76	Bulk	409	4.000"	4-1/4"	8
3-1/2"	2,020.94	2,415.14	Bulk	592	4.625"	4-3/8"	8
4"	2,377.17	2,775.62	Bulk	759	5.200"	4-1/2"	8
5"	3,392.84	4,052.98	Bulk	998	6.296"	4-5/8"	8
6"	4,160.11	4,971.74	Bulk	1,292	7.390"	4-7/8"	8
8"	7,543.87	8,450.27	Bulk	2,318	9.625"	5-1/4"	8
10"	11,892.64	12,402.85	Bulk	3,155	11.750"	5-3/4"	8
12"	15,913.46	16,794.38	Bulk	4,927	14.000"	6-1/8"	8

NOTE -Made to latest specifications of the American Petroleum Institute. Recessed, Taper Tapped 3/4" per foot.

All Black Couplings furnished with Phosphate coating. Galvanized Couplings furnished Electro Zinc Plated I.D. & O.D.

Oil Country Tubing and Casing Couplings Prices Available Upon Request

A.A.R. (Railroad) AND EXTRA HEAVY COUPLINGS NON-RECESSED (STANDARD CHAMFER)

Size	Black Price Per C	Galvanized Price Per C	Quantity	Approx. Weight LBS. Per C/PCS.	Couplings O.D.	Length	Threads Per Inch
	Taper Tapped	Taper Tapped	Per Carton				
1/8"	132.93	143.56	100	4	.563"	1-1/16"	27
1/4"	174.15	188.21	100	9	.719"	1-5/8"	18
3/8"	189.59	207.88	100	14	.875"	1-5/8"	18
1/2"	256.64	306.01	75	25	1.063"	2-1/8"	14
3/4"	273.88	327.88	50	36	1.313"	2-1/8"	14
1"	348.65	422.29	25	68	1.576"	2-5/8"	11-1/2
1-1/4"	560.05	647.84	25	108	2.054"	2-3/4"	11-1/2
1-1/2"	560.05	647.84	20	95	2.220"	2-3/4"	11-1/2
2"	852.18	1,078.29	15	201	2.875"	2-7/8"	11-1/2
2- 1/2"	1,266.26	1,419.25	Bulk	353	3.375"	4-1/8"	8
3"	1,503.81	1,694.76	Bulk	461	4.000"	4-1/4"	8
3- 1/2"	2,020.94	2,415.14	Bulk	625	4.625"	4-3/8"	8
4"	2,377.17	2,775.62	Bulk	800	5.200"	4-1/2"	8
5"	3,392.84	4,052.98	Bulk	1,051	6.296"	4-5/8"	8
6"	4,160.11	4,971.74	Bulk	1,374	7.390"	4-7/8"	8

NOTE – Sizes 1/4" through 3" are made to the specifications of the Association of American Railroads and Metal Stamped "A.A.R." 300# Unless specified otherwise, **XH Couplings will be furnished – Non-Recessed Taper Tapped 3/4" per foot.** All Black Couplings are treated with phosphate coating to inhibit corrosion- ideal for welding.
All Galvanized Couplings furnished Electro Zinc Plated I.D. & O.D.

STANDARD HALF COUPLINGS

Size	Black Per C	Black Per C	Carton QTY.	Approx Weight LBS. Per C	Coupling O.D.	Length
	Straight Tapped	Taper Tapped				
1/8"	32.21	81.82	100	2	.563"	11/32"
1/4"	44.39	83.85	100	4	.719"	17/32"
3/8"	53.39	91.27	100	5	.875"	17/32"
1/2"	53.61	160.81	100	8	1.063"	23/32"
3/4"	61.07	171.62	100	12	1.313"	3/4"
1"	85.31	218.49	50	18	1.576"	15/16"
1-1/4"	108.94	317.55	50	23	1.900"	31/32"
1-1/2"	138.00	317.55	50	32	2.200"	31/32"
2"	197.60	492.54	50	47	2.750"	1"
2-1/2"	518.48	471.35	Bulk	96	3.250"	1-1/2"
3"	727.83	661.66	Bulk	160	4.000"	1-9/16"
3-1/2"	1,290.32	1,173.02	Bulk	222	4.625"	1-5/8"
4"	1,290.32	1,173.02	Bulk	211	5.200"	1-11/16"
5"	2,362.48	2,147.71	Bulk	380	6.296"	1-3/4"
6"	2,827.68	2,570.62	Bulk	528	7.390"	1-7/8"

NOTE- Unless specified otherwise, half couplings will be supplied Tapped the same as –full couplings.
All Black Half Couplings furnished with phosphate coating- ideal for welding Galv. Prices on request.
All Half Couplings are chamfered on one end and square cut on the other end.

EXTRA HEAVY HALF COUPLINGS

Size	Black Per C	Carton QTY.	Approx. Weight LBS. Per C	Coupling O.D.	Length
	Taper Tapped				
1/8"	93.05	100	2	.563"	15/32"
1/4"	121.92	100	4	.719"	3/4"
3/8"	132.71	100	6	.875"	3/4"
1/2"	179.66	100	11	1.063"	1"
3/4"	191.71	100	17	1.313"	1"
1"	244.07	50	35	1.576"	1-1/4"
1-1/4"	392.03	50	51	2.054"	1-5/16"
1-1/2"	392.03	20	45	2.200"	1-5/16"
2"	596.69	10	92	2.875"	1-3/8"
2-1/2"	886.38	Bulk	172	3.375"	2"
3"	1,052.67	Bulk	212	4.000"	2-1/16"
3-1/2"	1,414.65	Bulk	297	4.625"	2-1/8"
4"	1,664.03	Bulk	384	5.000"	2-3/16"
5"	2,374.98	Bulk	485	6.296"	2-3/16"
6"	2,912.09	Bulk	685	7.390"	2-5/16"

NOTE – Unless specified otherwise, Extra Heavy Half Coupling will be furnished Standard Chamfer.

XH Recessed Half Couplings furnished 1/8" thru 12" available no extra charge.
 All Black Half Couplings furnished with phosphate coating – ideal for welding.
 All XH Half Couplings metal stamped XH for identification.

STANDARD RIGHT & LEFT TAPPED COUPLINGS

Size	Black Price per C	Galvanized Price Per C	Quantity Per Carton	Approx. Weight LBS. Per C/PCS.	Coupling O.D.	Length	Threads Per Inch
1/8"	146.21	158.04	100	3	.563"	13/16"	27
1/4"	149.74	162.47	100	7	.719"	1-3/16"	18
3/8"	162.98	178.79	100	9	.875"	1-3/16"	18
1/2"	250.87	299.13	100	17	1.063"	1-9/16"	14
3/4"	267.72	320.50	50	26	1.313"	1-5/8"	14
1"	406.22	491.39	30	40	1.576"	2"	11-1/2
1-1/4"	592.45	685.32	25	48	1.900"	2-1/16"	11-1/2
1-1/2"	592.45	685.32	25	67	2.200"	2-1/16"	11-1/2
2"	771.92	976.44	20	105	2.750"	2-1/8"	11-1/2
2-1/2"	1,518.54	1,840.71	Bulk	209	3.250"	3-1/8"	8
3"	2,166.38	2,565.00	Bulk	335	4.000"	3-1/4"	8
4"	5,023.87	6,066.87	Bulk	461	5.000"	3-1/2"	8

NOTE- R and L Couplings furnished standard chamfer. All sizes Taper Tapped 3/4" per foot. Left hand tapped end of Coupling identified by Knurl.

Couplings available both ends left hand tapped—Prices upon applications. Advise quantity and sizes required.

All Black Couplings furnished with phosphate coating.

All Galvanized Couplings furnished Electro Zinc Plated I.D. & O.D.

EXTRA HEAVY RIGHT & LEFT TAPPED COUPLINGS

Size	Black Price per C	Galvanized Price Per C	Quantity Per Carton	Approx. Weight LBS. Per C/PCS.	Coupling O.D.	Length	Threads Per Inch
	Taper Tapped	Taper Tapped					
1/8"	212.69	229.70	100	4	.563"	1-1/16"	27
1/4"	234.08	252.97	100	9	.719"	1-5/8"	18
3/8"	254.80	279.37	100	14	.875"	1-5/8"	18
1/2"	384.95	459.03	75	25	1.063"	2-1/8"	14
3/4"	410.81	487.39	50	36	1.313"	2-1/8"	14
1"	523.02	633.59	25	74	1.576"	2-5/8"	11-1/2
1-1/4"	840.07	971.82	25	108	2.054"	2-3/4"	11-1/2
1-1/2"	840.07	971.82	20	95	2.200"	2-3/4"	11-1/2
2"	1,278.65	1,617.44	15	201	2.875"	2-7/8"	11-1/2
2-1/2"	1,899.33	2,128.26	Bulk	353	3.375"	4-1/8"	8
3"	2,256.59	2,542.10	Bulk	461	4.000"	4-1/4"	8
4"	5,734.94	6,817.58	Bulk	751	5.200"	4-1/2"	8

NOTE- R and L Couplings furnished standard chamfer. All sizes Taper Tapped 3/4" per foot. Left hand tapped end of Coupling identified by Knurl.

Couplings available both ends left hand tapped—Prices upon applications. Advise quantity and sizes required.

All Black Couplings furnished with phosphate coating.

All Galvanized Couplings furnished Electro Zinc Plated I.D. & O.D.

WATER WELL REAMED & DRIFTED COUPLINGS

Size	Price Per C	Price Per C	Quantity	Approx. Weight LBS. Per C	Coupling O.D.	Length	Threads Per Inch
	Black	Galvanized	Per Carton				
1-1/4"	574.43	634.06	25	60	1.900"	2-3/4"	11-1/2
1-1/2"	582.79	657.52	20	84	2.200"	2-3/4"	11-1/2
2"	983.49	1,099.25	15	158	2.750"	3-3/8"	11-1/2
2-1/2"	1,140.79	1,379.34	Bulk	232	3.250"	3-15/16"	8
3"	1,428.40	1,684.04	Bulk	380	4.000"	4-1/16"	8
3-1/2"	1,895.97	2,276.31	Bulk	553	4.625"	4-3/16"	8
4"	2,377.17	2,805.93	Bulk	714	5.200"	4-5/16"	8
5"	3,392.34	4,174.02	Bulk	957	6.296"	4-1/2"	8
6"	3,871.92	4,782.73	Bulk	1,232	7.390"	4-11/16"	8
8"	7,242.22	8,345.16	Bulk	2,235	9.625"	5-1/16"	8
10"	11,432.20	12,265.54	Bulk	3,061	11.750"	5-9/16"	8
12"	15,275.77	16,609.14	Bulk	4,796	14.000"	5-15/16"	8

NOTE: SPECIAL WELL DRILLERS COUPLINGS take same price structure as Reamed and Drilled Couplings. All

Couplings are tapered 3/4" taper per foot.

All Black Couplings phosphate coated. 2" & larger – O.D. painted blue.

Galvanized furnished Electro Zinc Plated I.D. & O.D. and blue band painted around center.

SHALLOW WELL COUPLINGS

Size	Price Per C Black	Price Per C Galv.	Approx. Weight LBS. Per C
1-1/4"	560.05	647.84	103
1-1/2"	560.05	647.84	90
2"	852.18	1,078.29	186

NOTE – Shallow Well Couplings are Extra Heavy Recessed, and Straight Tapped in sizes 1-1/4" and 1-1/2"; 2" is Taper Tapped, 3/4" Taper per foot. All Black Couplings phosphate coated. All galvanized Couplings furnished Electro Zinc Plated I.D. & O.D.

TURNUED COUPLINGS

Size	Price Per C Zinc Plated I.D. & O.D.	Approx. Weight LBS. Per C	O.D.
1"	400.52	25	1.500"
1-1/4"	527.40	23	1.750"
1-1/4"	527.40	33	1.813"
1-1/2"	961.22	62	2.062"

*1-1/4 Couplings will be supplied with 1.750 O.D. unless otherwise specified.
Above Couplings (Straight Tapped) are especially designed for Jet Pump Installations.

CONDITIONS OF SALES

I. PRICING

- A. This price sheet supersedes all previous quotations and is subject to change without notice.
- B. Prices are quoted net per hundred pieces, based upon price in effect at time of shipment, Whether or not orders received bear any prices. Prices are not subject to additional discount or preferential.
- C. Any tax imposed by present or future laws on sale of this material shall be added to the amount of invoice.
- D. Prices shown herein apply to points in U.S.A. East of the Continental Divide. For shipments made **WEST** of the Continental Divide, add 10% to all prices.

II. FREIGHT ALLOWANCE

- A. All prices F.O.B. shipping point, with full freight allowed based on lowest freight rate on Shipments of 1000#, or \$2500.00 net order valued of combined Capitol products.
- B. To points with Canada and the state of Alaska actual freight will be allowed on 1000# or more based on lowest freight rate not to exceed \$2.25 per cwt.
- C. Export – Freight allowed on 1000# or more based on lowest rate in effect to point of exit on mainland of U.S.A.
- D. Seller reserves the right to determine shipping point.

III. TERMS OF PAYMENT

- A. 1% 10th-25th, net 30 days.
- B. Minimum Invoicing Charge: \$50.00 plus shipping charges.

IV. PACKING CHARGES

- A. Quoted prices apply to domestic packaging, standard container. Special or export packing prices upon application.

V. GENERAL TERMS

- A. Orders are accepted based on our ability to supply.
- B. Claims for shortages, etc., will not be recognized unless presented within a reasonable time after receipt of material. No material will be accepted for return or replacement unless authority in writing has been received from our office.
- C. Our liability for damages, as seller, is limited to price of the material only. Seller shall not be liable for any delay in filling orders, caused by fires, strikes, floods, accidents, war transportation, errors in manufacturing, shortage of materials, or other conditions beyond his control.
- D. Orders for special manufactured items not normally carried on stock are not subject to cancellation. Quantities on special manufactured items are subject to normal production over-run.

LOCATIONS

- 6505 Rusk Ave.
Houston, Texas 77011
713-928-3488 – Telephone
713-928-3840 – Fax

HOME OFFICE

P.O. Box 6103
Westerville, Ohio 43086
614-823-6691 - Phone
800-848-1100 - Phone
614-823-6692 - Fax

- * 1501 W. Main St.
West Jefferson, Ohio 43162



- 1125 Capitol Rd.
Crowley, Louisiana 70526

PRICE SHEET J-301-C
APRIL 2, 2001

- * 1700 Coupling Rd.
Lansing, Ohio 43934
740-633-0859 - Telephone
740-633-3008 - Fax