PRICE LIST

HARCO PVC GASKETED FITTINGS For PVC PRESSURE PIPE (Iron Pipe Size, IPS)

ALL FITTINGS MEET OR EXCEED:

MATERIALS	ASTM D-1784, NSF APPROVED FOR POTABLE WATER
JOINTS	ASTM D-3139
GASKETS	ASTM F-477
WALL THICKNESS	SDR-21
DIMENSION CHECKS	ASTM D-2122
QUICK BURST TESTS	ASTM D-1599
ACETONE TESTS	ASTM D-2152

THE HARRINGTON CORPORATION P O BOX 10335 LYNCHBURG, VA 24506
PHONE: 804-845-7094 FAX: 804-845-8562 E-MAIL: sales@harcofittings.com WEB: harcofittings.com

HARCO PVC PRESSURE FITTINGS



LINE COUPLING (With Stop)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	108-015	24	12	$6.44	H
2	108-020	24	18	6.57	H
2½	108-025	48	52	7.11	H
3	108-030	24	39	8.98	H
4	108-040	24	64	16.35	H
6	108-060	12	67	24.94	H
8	108-080	6	62	54.30	H
10	108-100	1	12	71.90	C
12	108-120	1	17	93.90	C



REPAIR COUPLING (No Stop) HARCO STYLE

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	109-015	24	12	$7.11	H
2	109-020	24	17	7.79	H
2½	109-025	24	23	8.58	H
3	109-030	24	31	10.73	H
4	109-040	12	38	19.31	H
5	109-050	6	27	31.51	H
6	109-060	6	41	33.93	H
8	109-080	4	51	69.86	H
10	109-100	1	14	129.40	C
12	109-120	1	22	191.08	C

NON PRESS WYE

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
3x3	101-0303	1	5	$29.97	Fab
4x4	101-0404	1	10	59.94	Fab

WARNING:
Frequent or severe cyclical pressure surges (WATER HAMMER) can destroy PVC fittings. Where such conditions may exist, HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS size PVC pipe should be considered. HARCO DEEP BELL DUCTILE IRON FITTINGS are available in sizes 1-½" through 12".

Fab Style: These fittings use Sch 40 PVC fittings. SCH 40 PVC FITTINGS DO NOT HAVE A LONG TERM PRESSURE RATING. See section 6.3.2 of ASTM D2466. Use of these fittings in pressure systems is at users' risk.

The use of anything but properly designed and installed thrust blocks will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions.



TEE (GxGxG)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½x1½	112-150	12	12	$16.23	F
2x1½	112-215	12	15	19.18	H
2x2	112-220	12	17	19.18	H
2½x1½	112-251	1	1.4	21.32	A
2½x2	112-252	12	24	21.32	H
2½x2½	112-255	12	20	21.32	H
3x1½	112-315	12	30	22.53	A
3x2	112-320	12	33	22.53	H
3x2½	112-325	12	37	22.53	H
3x3	112-330	12	33	22.53	H
4x2	112-420	12	51	34.73	H
4x2½	112-425	12	56	34.73	H
4x3	112-430	12	59	34.73	H
4x4	112-440	12	67	34.73	H
5x5	112-550	1	10	77.77	F
6x2	112-620	4	11	77.77	A
6x3	112-630	4	12	77.77	H
6x4	112-640	4	44	77.77	H
6x6	112-660	4	49	77.77	H
8x4	112-840	2	37	131.27	H
8x6	112-860	2	39	134.35	H
8x8	112-880	2	43	137.45	H



REDUCER SPIGOT x GASKET

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
2x1½	116-215	12	6	$9.12	F
2½x2	116-252	12	9	10.47	F
3x2	116-320	12	11	12.48	F
3x2½	116-325	12	15	13.14	F
4x2	116-420	12	18	14.49	F
4x2½	116-425	12	21	15.16	F
4x3	116-430	12	23	15.16	F
5x4	116-540	1	3	30.84	F
6x3	116-630	4	14	27.35	F
6x4	116-640	12	32	41.71	H
6x5	116-650	1	5	50.01	Fab
8x6	116-860	4	23	70.81	H

STYLE LEGEND:
H - One piece molded, Harco style mold.
F - One piece molded, Flo-Seal style mold.
C - Manufactured by Certain-Teed Corporation.
A - Assembled using one piece molded fitting with MIPT x Gasket adapter or Spigot adapter for branch or BELL.
Fab - Fabricated using Sch 40 PVC fitting with Harco Spigot adapters (or pipe) solvent welded together. (See pressure rating warning on this page.)

THE HARRINGTON CORPORATION P O BOX 10335 LYNCHBURG, VA 24506
PHONE: 804-845-7094 FAX: 804-845-8562 E-MAIL: sales@harcofittings.com WEB: harcofittings.com

HARCO PVC PRESSURE FITTINGS



90° BEND (GxG)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	118-015	12	7	$14.21	F
2	118-020	12	10	10.20	H
2½	118-025	12	15	11.66	H
3	118-030	12	23	14.75	H
4	118-040	12	47	25.21	H
6	118-060	4	36	46.26	H
8	118-080	4	70	90.24	H



45° BEND (GxG)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	122-015	1	0.9	$14.21	Fab
2	122-020	12	14	10.20	H
2½	122-025	12	14	11.66	H
3	122-030	12	20	14.75	H
4	122-040	12	41	25.21	H
6	122-060	4	33	46.26	H
8	122-080	4	53	90.24	H

(22-1/2º Bend listed on page 4)



SPIGOT x GASKET ADAPTER

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	130-015	12	4	$7.37	H
2	130-020	12	6	7.51	H
2½	130-025	12	8	8.58	H
3	130-030	12	11	10.59	H
4	130-040	12	20	18.92	H
5	130-050	1	3	27.62	F
6	130-060	12	46	27.62	H



GASKET x MALE IPT ADAPTER

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	131-015	12	6	$9.25	H
2	131-020	12	6	10.06	H
2½	131-025	12	14	11.93	H
3	131-030	12	18	15.42	H
4	131-040	6	17	24.81	Fab
5	131-050	1	5	48.42	Fab
6	131-060	4	41	48.42	Fab

Size on size and reducing sizes of these adapters also available in Harco ductile iron.



GASKET x FEMALE IPT ADAPTER

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	132-015	1	0.5	$7.79	Fab
2	132-020	1	0.7	8.58	Fab
2½	132-025	1	1.2	10.99	Fab
3	132-030	1	1.5	16.09	Fab
4	132-040	1	2.6	21.19	Fab
5	132-050	1	5	40.23	Fab
6	132-060	1	6	58.19	Fab



PE (Plain End) x MIPT ADAPTER

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	133-015	12	3	$5.09	Fab
2	133-020	12	3	6.84	H
2½	133-025	12	9	7.11	Fab
3	133-030	12	15	8.98	Fab
4	133-040	6	12	13.27	Fab
6	133-060	4	21	28.03	Fab



PLUG (Spigot)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	144-015	1	0.2	$6.18	Fab
2	144-020	12	2	6.18	H
2½	144-025	12	9	6.30	Fab
3	144-030	12	4	8.05	H
4	144-040	12	10	17.17	H
6	144-060	12	28	24.40	H
8	144-080	4	15	41.43	H



CAP (Gasket)

SIZE	PROD NO.	CTN QTY	CTN WT	LIST PRICE	STYLE
1½	149-015	1	0.5	$7.51	Fab
2	149-020	12	6	8.31	H
2½	149-025	1	1	12.88	Fab
3	149-030	1	1.4	13.81	Fab
4	149-040	1	2.7	28.43	Fab
5	149-050	1	4.4	50.69	Fab
6	149-060	1	6.9	64.77	Fab

STYLE LEGEND:

H - One piece molded, Harco style mold.

F - One piece molded, Flo-Seal style mold.

Fab - Fabricated using Sch 40 PVC fitting with Harco Spigot adapters (or pipe) solvent welded together. (See pressure rating warning on page 2.)

THE HARRINGTON CORPORATION P O BOX 10335 LYNCHBURG, VA 24506
PHONE: 804-845-7094 FAX: 804-845-8562 E-MAIL: sales@harcofittings.com WEB: harcofittings.com

HARCO PVC PRESSURE FITTINGS



SERVICE TEE (GxGxFIPT) (Tapered NPT Thread)

SIZE	PART NUMBER *	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½x ¾	151-153	1	0.8	$15.82	FB
1½x1	151-154	1	0.8	15.82	F
1½x1¼	151-155	1	0.8	15.82	Fab
2x½	151-202	12	14	12.34	HB
2x¾	151-203	12	14	12.34	H
2x1	151-204	12	14	12.34	H
2x1¼	151-205	12	14	12.34	H
2x1½	151-206	12	14	12.34	H
2½x½	151-252	12	18	16.49	HB
2½x¾	151-253	12	18	16.49	HB
2½x1	151-254	12	18	16.49	H
2½ x 1¼	151-255	12	18	16.49	H
2½x1½	151-256	12	18	16.49	H
2½x2	151-258	12	18	16.49	H
3x½	151-302	12	30	22.13	HB
3x¾	151-303	12	30	22.13	HB
3x1	151-304	12	30	22.13	H
3x1¼	151-305	12	30	22.13	H
3x1½	151-306	12	30	22.13	H
3x2	151-308	12	30	24.81	H
4x½	151-402	8	31	28.69	HB
4x¾	151-403	8	31	28.69	HB
4x1	151-404	8	31	28.69	H
4x1¼	151-405	8	31	28.69	H
4x1½	151-406	8	31	28.69	H
4x2	151-408	8	31	28.69	H
6x½	151-602	6	36	36.88	HB
6x¾	151-603	6	36	36.88	HB
6x1	151-604	6	36	36.88	HB
6x1¼	151-605	6	36	36.88	HB
6x1½	151-606	6	36	36.88	H
6x2	151-608	6	36	36.88	H

* - Last number denotes tap size in ¼" increments.

8", 10", and 12" Service Tees available in HARCO ductile iron.



SWING JOINT TEE (GxGxAcme)

315 psi pressure rated

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
2x1	153-204	16	23	$12.34	H
2x1¼	153-205	16	23	12.34	H
2x1½	153-206	16	24	12.34	H
2½x1	153-254	16	31	16.49	H
2½x1¼	153-255	16	31	16.49	H
2½x1½	153-256	16	31	16.49	H

Outlet fits all brands of single O-ring Acme inlet swing joints.
3" and 4" swing joint tees available in Ductile Iron

STYLE LEGEND:

H - Harco style one piece molded.

HB - Harco style one piece molded, with outlet reduced by use of flush style thd x thd bushing.

F - Flo-Seal style one piece molded.



CROSS (GxGxGxG)

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	153-015	1	1.7	$28.69	Fab
2	153-020	1	2.4	34.87	Fab
2½	153-025	1	4	51.49	Fab
3	153-030	1	5.3	56.99	Fab
4	153-040	1	9	128.73	Fab



GASKET x FLANGE ADAPTER

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	154-015	1	0.8	$14.08	Fab
2	154-020	1	1.2	13.41	Fab
2½	154-025	1	1.7	28.43	Fab
3	154-030	1	2.4	27.35	Fab
4	154-040	1	6	58.59	Fab
6	154-060	1	12	93.06	Fab
8	154-080	1	20	131.68	Fab

REPLACEMENT GASKET HARCO STYLE

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
1½	195-015	1	0.1	$1.61	H
2	195-020	1	0.1	1.75	H
2½	195-025	1	0.1	2.28	H
3	195-030	1	0.1	3.21	H
4	195-040	1	0.2	4.55	H
6	195-060	1	0.3	6.04	H
8	195-080	1	0.3	7.37	H

Nitrile gaskets available for oil resistance, call Harco for prices and availability.

22½º BEND

SIZE	PART NUMBER	CTN. QTY.	CTN. WT.	LIST PRICE	STYLE
2	124-020	1	2	$35.65	Fab
3	124-030	1	3	33.32	Fab
4	124-040	1	5	50.73	Fab
6	124-060	1	11	86.68	Fab

FB - Flo-Seal style one piece molded, with outlet Reduced by use of flush style thd x thd bushing.

Fab - Fabricated using Sch 40 PVC fitting with Harco Spigot adapters solvent welded together. (See pressure rating warning on page 2.)

THE HARRINGTON CORPORATION P O BOX 10335 LYNCHBURG, VA 24506
PHONE: 804-845-7094 FAX: 804-845-8562 E-MAIL: sales@harcofittings.com WEB: harcofittings.com