

Pre-Insulated Crimp Connectors

- Three models cover a wide range of wire combinations from 22 AWG stranded through 8 AWG stranded
- Compact design fits easily into tight locations
- Flared skirt protects against turned-back strands
- Beveled opening eases wire entry




Model	Wire Combination Range	Quantity	Cat. No.
NC-2212	600V* Min. 2 No. 22 Max. 2 No. 16 & 2 No. 18	1,000	30-146
		10,000	30-646
NC-1610	600V* Min. 3 No. 18 Max. 1 No. 12 & 2 No. 18	1,000	30-147
		10,000	30-647
NC-8	600V* Min. 4 No. 16 Max. 1 No. 12 w/4 No. 14	1,000	30-148
		5,000	30-648

*1,000V maximum in fixtures and signs



Buchanan Construction Products Splice Cap Insulators

- Convenient, safe and fast installation
- Snap-on nylon construction
- Rated at 105°C (221°F) – 600V (1,000V for fixtures and signs)



For Connector Model	Quantity	Cat. No.
2006S & 2008S	Box of 100	2007
	Bag of 1,000	2007B
2011S	Box of 50	2014
	Bag 500	2014B

Buchanan Construction Products Splice Cap Crimp Connectors

- Designed for making fast, permanent, pressure-type connections
- Solid copper sleeves require less crimping pressure
- Resist corrosion in harsh environments
- Tin-plated steel sleeves also available
- UL 486C Listed and CSA 22.2 #188 Certified: comply with Federal Specification W-S-61D



Model	Wire Combination Range	Quantity	Cat. No.
Copper Crimp Connector	600V* No. 18 thru 10 AWG Min. 2 No. 18 Max. 4 No. 12	Box of 100	2006S
		Bag of 1,000	2006SB
Copper Crimp Connector	600V* No. 14 thru 4 AWG Min. 2 No. 10 Max. 2 No. 6	Box of 50	2011S
		Bag of 500	2011SB
Steel Crimp Connector	600V* No. 18 thru 10 AWG Min. 2 No. 18 Max. 4 No. 12	Box of 100	2008S
		Bag of 1,000	2008SB

*1,000V maximum in fixtures and signs



Buchanan Construction Products Four-Way Crimp Tool

- Patented design ensures even compression and reliable connections
- Spring-loaded, cam-actuated plungers
- Fingertip adjustment for different connector sizes



Description	Cat. No.
Four-Way Crimp Tool	C-24