

4 A5.20.41 ELEVATIONS AT WOMEN'S LOCKER ROOM

SCALE: 1/4"=1'-0"

AE007-2B





1 A5.20.41 LEVEL B1 TOILET AND LOCKER ROOM PLAN

SCALE: 1/4"=1'-0"

AEPB10-2B





2 A5.20.41 WOMEN'S TOILET ROOM ELEVATIONS AT LOCKER ROOM

SCALE: 1/4"=1'-0"

AIE007-2B



5 A5.20.41 ELEVATIONS AT MEN'S LOCKER ROOM

SCALE: 1/4"=1'-0"

AIE007-2B



3 A5.20.41 MEN'S TOILET ROOM ELEVATIONS AT LOCKER ROOM

SCALE: 1/4"=1'-0"

AIE007-2B

1. SEE SHEET A5.20.45 FOR TYPICAL FIXTURE MOUNTING HEIGHTS, CLEARANCE, LOCATIONS, AND STALL LAYOUTS.
2. DIMENSION LOCATIONS OF ACCESSORIES ARE TYPICAL, UNO.
3. REFER TO PLUMBING DRAWINGS FOR FIXTURES LOCATIONS.
4. FLOOR DRAINS IN TOILET ROOMS SHALL BE CENTERED UNDER (CENTERED ON) TOILET PARTITIONS, AND 6" BEHIND STILE.
5. FURNISH AND INSTALL SILICONE SANITARY SEALANT WITH ALL PLUMBING FIXTURES.
6. SEE SHEET A5.20.40 FOR ACCESSORIES SCHEDULE.

4' 2' 0 4' 8'

SCALE: 1/4" = 1'-0"

108031400-A8E-8600-A079

Knight/Jacobs Joint Venture
701 Scarboro Road, MS 8253
Oak Ridge, TN 37830
865-241-9433
fax 865-241-3400

KNIGHT
Knight Advanced Technology
549 West Randolph Street
Chicago, IL 60661

UT-BATTELLE
Oak Ridge National Laboratory
managed for the DEPARTMENT OF ENERGY under
U.S. GOVERNMENT contract DE-AC05-00OR22725
UT-BATTELLE, LLC. • Oak Ridge, Tennessee

PROJECT NAME:

SPALLATION NEUTRON SOURCE

CENTRAL LAB AND OFFICE BUILDING
ENLARGED TOILET ROOMS & LOCKER ROOMS
PLANS & ELEVATIONS

1	48	49	50	PLANT	BLDG	FL	SH.	OF	TYPE	CLASS
3	A	X	X	8	8600		1	1	S	U
51		52		53	WBS					REV
NC		NA			1.8.3.14		A5.20.41			0

REV	CHANGE "TYPE"	CHANGE CONTROL SYSTEM	CHANGE REQUEST NUMBER	DESCRIPTION	DSN	CHK	DEPT	DATE	PE	DATE	PJ	DATE	REQ	DATE	UTB	DATE	RPE	RPE NO	DATE	SC	AW	WRS	RL	WRS	BWJ	--	WRS	--	WAS
0				CERTIFIED FOR CONSTUCTION – MAY 15, 2001	CF	ED											RLB	102104	5/15/01										
																				ST	CV	EC	EE	EM	IE	M	PD	SE	AR

REVISION OR ISSUE PURPOSE — REVISION APPROVALS — SQUAD CHECK

RPE: ROBERT L. BARNES, REGISTERED ARCHITECT, NO. 102104, STATE OF TENNESSEE — 5/16/01

REV. 0 DATE 5/16/01

DRAWING APPROVALS		
DSN	H. BAUMAN	5/15/01
DRW	A. OWENS	5/15/01
CHK	E. DENSON	5/15/01
DEPT		
PE		5/16/01
PJ		5/16/01
REQ		
UTB		5/25/01

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

NUMBER OF SECTION OR DETAIL — DRAWING ON WHICH SECTION OR DETAIL IS SHOWN OR TAKEN

SECTION AND DETAIL KEY

THIS DOCUMENT CONTROLLED BY

CHANGE CONTROL SYSTEM 4

ENGINEERING PROCEDURE SNS-ENG-G001

Date: 05/09/2001 Time: 13:42:03
Username: BAMUW
T:\AF_SQL2PROJECTS\9600\PJ00_CADD\NEW_SBF\740_PLOT\A5-20-41.DWG

AutoCAD