

5 A5.20.43 LEVEL B1 TYPICAL SECTOR 62 TOILET ROOM PLAN - ALTERNATE #1C

SCALE: 1/4"=1'-0"

AEPB10-2B



7 A5.20.43 LOCKER ELEVATION

SCALE: 1/4"=1'-0"

AIE009-2B



8 A5.20.43 TOILET ROOM ELEVATIONS

SCALE: 1/4"=1'-0"

AIE009-2B

GENERAL PLAN NOTES:

1. SEE SHEET A5.20.45 FOR TYPICAL FIXTURE MOUNTING HEIGHTS, CLEARANCE, LOCATIONS, AND STALL LAYOUTS.
2. DIMENSION LOCATIONS OF ACCESSORIES ARE TYPICAL, UNO.
3. REFER TO PLUMBING DRAWINGS FOR FIXTURES LOCATIONS.
4. FLOOR DRAINS IN TOILET ROOMS SHALL BE CENTERED UNDER (CENTERED ON) TOILET PARTITIONS, AND 6" BEHIND STILE.
5. FURNISH AND INSTALL SILICONE SANITARY SEALANT WITH ALL PLUMBING FIXTURES.
6. SEE SHEET A5.20.40 FOR ACCESSORIES SCHEDULE.

4' 2' 0 4' 8'

SCALE: 1/4" = 1'-0"

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

NUMBER OF SECTION OR DETAIL

DRAWING ON WHICH SECTION OR DETAIL IS SHOWN OR TAKEN

SECTION AND DETAIL KEY

THIS DOCUMENT CONTROLLED BY

CHANGE CONTROL SYSTEM 4

ENGINEERING PROCEDURE SNS-ENG-G001

REV	CHANGE LEVEL	CHANGE CONTROL SYSTEM	CHANGE REQUEST NUMBER	DESCRIPTION	DSN	CHK	DEPT
1				CERTIFIED FOR CONSTRUCTION - 12/20/01	CF	ED	
0	--	--	--	CERTIFIED FOR CONSTRUCTION - MAY 15, 2001	CF	ED	

REVISION OR ISSUE PURPOSE

DATE	PE	DATE	PJ	DATE	REQ	DATE	UTB	DATE	RPE	RPE NO	DATE
	FLD	12/21/01		12/21/01			CMT	12/26/01	RLB	102104	2/20/01
	CLG	9/6/01	JS	8/21/01			JRL	9/25/01	RLB	102104	5/15/01

REVISION APPROVALS

ST	CV	EC	EE	EM	IE	M	PD	SE	AR
RW	AW	BWJ	PD	BWJ	BWJ	--	BWJ	--	ED
SC	AW	WRS	RL	WRS	BWJ	--	WRS	--	WAS

SQUAD CHECK

RPE

ROBERT L. BARNES REGISTERED ARCHITECT No. 102104 STATE OF TENNESSEE

REV. DATE

12/21/01

DSN	H. BAUMAN	5/15/01
DRW	A. OWENS	5/15/01
CHK	E. DENSON	5/15/01
DEPT		
PE	C.L. GARREN	9/6/01
PJ	J. STELLERN	8/21/01
REQ		
UTB	J.R. LAWSON	9/25/01

DRAWING APPROVALS

108031400-A8E-8600-A081

Knight Jacobs

Knight/Jacobs Joint Venture
701 Scarboro Road, MS 8253
Oak Ridge, TN 37830

865-241-9433
fax 865-241-3400

KNIGHT
Knight Advanced Technology
549 West Randolph Street
Chicago, IL 60661

UT-BATTELLE

Oak Ridge National Laboratory
managed for the DEPARTMENT OF ENERGY under
U.S. GOVERNMENT contract DE-AC05-00OR22725
UT-BATTELLE, LLC. © Oak Ridge, Tennessee

PROJECT NAME:

SPALLATION NEUTRON SOURCE

CENTRAL LAB AND OFFICE BUILDING
ENLARGED TOILET ROOMS & LOCKER AREA
PLANS & ELEVATIONS - ALTERNATE #1C

1	48	49	50	PLANT	BLDG	FL	SH.	OF	TYPE	CLASS
3	A	X	X	8	8600		1	1	S	U

51	52	53	WBS		REV
NC	NA		1.8.3.14	A5.20.43	1

Date: 12/19/2001 Time: 13:10:45
Username: BAMCDM
DN=F:\R12\PROJECTS\TRAY\TBL_CHGS\NEW_IBM\A5_PLSP\A5-20-43.DWG