BUILDING 8600 - CENTRAL LAB AND OFFICE BUILDING - DOOR SCHEDULE

LEVEL B2

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-B2-2-1A	ELECTRICAL ROOM	FF	1-3/4"	8'-0"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		1	
CL-B2-2-1B	ELECTRICAL ROOM	FF	1-3/4"	8'-0"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		1	
CL-B2-2-2	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B2-2-3	TELECOMMUNICATIONS ROOM	F	1-3/4"	4'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-4	PH NEUTRALIZATION ROOM	F	1-3/4"	4'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-5A	CORRIDOR	F	1-3/4"	4'-0"	9'-2"	HM		1-1/2 HR.	FR-1B	55-A8.20.43	55-A8.20.43		3	SEE ELEVATION 4-A3.30.44
CL-B2-2-5B	CORRIDOR	FF	1-3/4"	8'-0"	9'-2"	HM		1-1/2 HR.	FR-1B	4-A9.10.40	4-A9.10.40		3A	
CL-B2-2-6	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B2-2-7	STORAGE	F	1-3/4"	3'-0"	9'-2"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-8	MECHANICAL ROOM	F	1-3/4"	4'-0"	9'-2"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-9	STORAGE	F	1-3/4"	4'-0"	9'-2"	HM		3/4 HR.	FR-1B	4-A9.10.40	4-A9.10.40		4	
CL-B2-2-10	STORAGE	F	1-3/4"	4'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-11A	GENERATOR ROOM	F	1-3/4"	4'-0"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-11B	GENERATOR ROOM	F	1-3/4"	4'-0"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B2-2-12	STAIR NO. 1	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5	
CL-B2-2-13	VESTIBULE	F	1-3/4"	4'-0"	9'-2"	HM		1-1/2 HR.	FR-1B	55-A8.20.43	55-A8.20.43		3	SEE ELEVATION 4-A3.30.44

LEVEL B1

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-B1-1-1A	GALLERY	HH	1-3/4"	6'-0"	7'-1"	ALUM	1" INSUL.		ALUM	46-A8.20.44	46-A8.20.44		6	SEE 2-A3.20.48; TEMPERED GLASS
CL-B1-1-1B	GALLERY	HH	1-3/4"	6'-0"	7'-1"	ALUM	1" INSUL.		ALUM	38-A8.20.44	38-A8.20.44		6	SEE 2-A3.20.48; TEMPERED GLASS
CL-B1-1-1C	GALLERY	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP	3/4 HR.	ALUM	7-A9.10.40	7-A9.10.40		7	SEE ELEVATION 4-A5.10.46
CL-B1-1-1D	GALLERY	HH	1'3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP	3/4 HR.	ALUM	7-A9.10.40	7-A9.10.40		7	SEE ELEVATION 4-A5.10.46
CL-B1-1-2	MECHANICAL ROOM	FF	1-3/4"	5'-4"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		2	
CL-B1-1-3	LOBBY	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.44	38-A8.20.44		6	SEE 1-A3.10.42; TEMPERED GLASS
CL-B1-1-4	FURNITURE STORAGE	F	1-3/4"	4'-0"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-1-5A	CORRIDOR	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP	3/4 HR.	ALUM	5,6-A9.10.40	5,6-A9.10.40		7	SEE ELEVATION 2-A5.10.46
CL-B1-1-5B	CORRIDOR	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.44	38-A8.20.44		6	SEE 1-A3.10.42; TEMPERED GLASS
CL-B1-1-6	MEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		8	PROVIDED PER ALTERNATE #1C
CL-B1-1-7	WOMEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		8	PROVIDED PER ALTERNATE #1C
CL-B1-1-8	ELEVATOR LOBBY	FF	1-3/4"	6'-0"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		9	
CL-B1-1-9	ELECTRICAL CLOSET	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-1-10	STORAGE	F	1-3/4"	3'-0"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-1-11	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-1-12	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-1-13	DINING ROOM	HH	1-3/4"	6'-0"	6'-10"	ALUM	1/4"TEMP		ALUM	9-A9.70.40	9-A9.70.40		7	SEE ELEVATION 1-A5.50.41
CL-B1-1-14	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-B1-2-15	KITCHEN	FF	1-3/4"	6'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		14A	PROVIDED PER ALTERNATE #1C
CL-B1-2-16	OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	PROVIDED PER ALTERNATE #1C
CL-B1-2-17	DRY STORAGE	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	PROVIDED PER ALTERNATE #1C
CL-B1-2-18	JANITOR'S CLOSET	L	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4B	PROVIDED PER ALTERNATE #1C
CL-B1-2-19	MEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		11	PROVIDED PER ALTERNATE #1C
CL-B1-2-20	WOMEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		11	PROVIDED PER ALTERNATE #1C
CL-B1-2-21	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-22	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-23	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-24	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-25	ELECTRICAL	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-2-26A	ELEVATOR LOBBY	HH	1-3/4"	6'-0"	6'-10"	ALUM	1/4"TEMP		ALUM	9-A9.70.40	9-A9.70.40		13	SEE ELEVATION 3-A5.50.40
CL-B1-2-26B	ELEVATOR LOBBY	FF	1-3/4"	6'-0"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		9	
CL-B1-2-27	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.44	38-A8.20.44		6	SEE 1-A3.10.42; TEMPERED GLASS
CL-B1-2-28	EXERCISE ROOM	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		HM	1-A9.10.40	1-A9.10.40		18	
CL-B1-2-29	CORRIDOR	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP	3/4 HR.	ALUM	5,6-A9.10.40	5,6-A9.10.40		7	SEE ELEVATION 2-A5.10.46 (SIM.)
CL-B1-2-30	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-31	ELECTRICAL	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-2-32	TELEPHONE	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-2-33	STAIR NO. 1	GATE	--	3'-0"	2'-10"	STEEL			--	--	12-A9.60.40		--	
CL-B1-2-34A	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.44	38-A8.20.44		12B	ACCESS CTRL., TEMPERED GLASS, 1-A3.10.41
CL-B1-2-34B	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP		ALUM	9-A9.70.40	9-A9.70.40		13	
CL-B1-2-34C	VESTIBULE	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		20	
CL-B1-2-35	MEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-B1-2-36	WOMEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-B1-2-37	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-2-38	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-B1-3-39	CORRIDOR	FF	1-3/4"	6'-4"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	8-A9.10.40		9	
CL-B1-3-40A	STAIR NO. 3	H	1-3/4"	3'-0"	7'-1"	ALUM	1"INSUL		ALUM	35-A8.20.43	35-A8.20.43		6A	TEMPERED GLASS
CL-B1-3-40B	STAIR NO. 3	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.01		5	
CL-B1-3-41	BREAK ROOM	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		5	
CL-B1-3-42	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-3-43A	ME SHOP	FF	1-3/4"	6'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.01		14	
CL-B1-3-43B	ME SHOP	FF	1-3/4"	6'-0"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.01		14	
CL-B1-3-43C	ME SHOP	A	--	10'-0"	9'-2"	STEEL			STEEL				--	OVERHEAD COILING DOOR
CL-B1-3-44A	STAIR NO. 8	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-3-44B	STAIR NO. 8	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5	
CL-B1-3-45	DE-IONIZING AREA	F	--	4'-0"	9'-2"	WIRE MESH			STEEL	PER SPEC.	PER SPEC.		28	WIRE MESH PARTITION SYSTEM
CL-B1-3-46	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-3-47A	RING CAVITY TECH. SPACE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		4	
CL-B1-3-47B	RING CAVITY TECH. SPACE	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-48A	SHOPS	FF	1-3/4"	6'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-48B	SURVEY ALIGNMENT SHOP	A		10'-0"	9'-2"	STEEL			STEEL				--	OVERHEAD COILING DOOR
CL-B1-3-48C	SURVEY ALIGNMENT SHOP	A		10'-0"	9'-2"	STEEL			STEEL				--	OVERHEAD COILING DOOR
CL-B1-3-48D	SURVEY ALIGNMENT SHOP	F	1-3/4"	3'-0"	6'-10"	HM			FR-1B	4-A9.10.40	4-A9.10.40		3	
CL-B1-3-48E	SURVEY ALIGNMENT SHOP	F	1-3/4"	3'-0"	6'-10"	HM			FR-1B	4-A9.10.40	4-A9.10.40		3	
CL-B1-3-49A	POWER SUPPLY TECH. SPACE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-49B	POWER SUPPLY TECH. SPACE	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-3-50A	MAGNET TECH. SPACE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-50B	MAGNET TECH. SPACE	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-3-51	SECURITY/DELIVERY OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-3-52A	MAGNET SHOP	FF	1-3/4"	6'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		14	
CL-B1-3-52B	MAGNET SHOP	A		10'-0"	9'-2"	STEEL			STEEL				--	OVERHEAD COILING DOOR
CL-B1-3-52C	MAGNET SHOP	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-3-53	CORRIDOR	FF	1-3/4"	7'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	6-A9.10.40		9	
CL-B1-3-54A	STAIR NO. 9	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-3-54B	STAIR NO. 9	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5	
CL-B1-3-55A	MAIL ROOM	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		4C	
CL-B1-3-55B	MAIL ROOM	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		4C	
CL-B1-3-56A	MATERIAL HANDLING	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-3-56B	MATERIAL HANDLING	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-BI-3-56C	MATERIAL HANDLING	A		10'-0"	9'-2"	STEEL			STEEL				--	OVERHEAD COILING DOOR
CL-B1-3-57A	LOADING DOCK	F	1-3/4"	3'-0"	6'-10"	HM			FR-1B	4-A9.10.40	4-A9.10.40		3	
CL-B1-3-57B	LOADING DOCK	A		8'-0"	9'-2"	STEEL			STEEL	3-A4.10.42	5-A4.10.42		--	OVERHEAD COILING DOOR
CL-B1-3-57C	LOADING DOCK	A		8'-0"	9'-2"	STEEL			STEEL	3-A4.10.42	5-A4.10.42		--	OVERHEAD COILING DOOR
CL-B1-3-57D	LOADING DOCK	A		8'-0"	9'-2"	STEEL			STEEL	3-A4.10.42	5-A4.10.42		--	OVERHEAD COILING DOOR
CL-B1-3-57E	LOADING DOCK	A		8'-0"	9'-2"	STEEL			STEEL	3-A4.10.42	5-A4.10.42		--	OVERHEAD COILING DOOR
CL-B1-3-57F	LOADING DOCK	F	1-3/4"	3'-0"	6'-10"	HM			FR-1B	4-A9.10.40	4-A9.10.40		3	
CL-B1-3-57G	LOADING DOCK	FF	1-3/4"	6'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		3A	
CL-B1-3-58	COPY/COFFEE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		5A	
CL-B1-3-59	ELEVATOR EQUIPMENT	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-3-60	SERVICE ELEVATOR VESTIBULE	FF	1-3/4"	6'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		17	
CL-B1-3-61	ELECTRICAL	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-3-62	TELEPHONE	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-3-63	WATER SERVICE ROOM	F	--	4'-0"	9'-2"	WIRE MESH			STEEL	PER SPEC.	PER SPEC.		28	WIRE MESH PARTITION SYSTEM
CL-B1-3-64	CORRIDOR	FF	1-3/4"	6'-4"	9'-2"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	8-A9.10.40		9	
CL-B1-3-65	OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-66	OFFICE	C	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-67	OFFICE	C	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-68	OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-69	OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-70	OFFICE	C	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-71	OFFICE	C	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-B1-3-72	BMS OFFICE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-B1-3-73A	KITCHEN, TRASH SORTING, RECYCLING	F	1-3/4"	3'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-3-73B	KITCHEN, TRASH SORTING, RECYCLING	F	1-3/4"	3'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-3-74A	STAIR NO. 4	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5	
CL-B1-3-74B	STAIR NO. 4	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1B	4-A9.10.40	4-A9.10.40		16	
CL-B1-3-75	MEZZANINE MECHANICAL ROOM	FF	1-3/4"	6'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		2	
CL-B1-3-76	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-B1-4-77	ELECTRICAL CLOSET	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-4-78	TELEPHONE CLOSET	F	1-3/4"	3'-0"	6'-10"	HM			FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-B1-4-79A	VACUUM TECH. SPACE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-4-79B	VACUUM TECH. SPACE	G	1-3/4"	3'-0"	6'-10"	HM	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-B1-4-80	MECHANICAL ROOM	F	1-3/4"	3'-0"	6'-10"	HM		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-B1-4-81A	VACUUM SHOP	FF	1-3/4"	6'-0"	9'-2"	HM			FR-1A	1-A9.10.40	1-A9.10.40		14	
CL-B1-4-81B	VACUUM SHOP	FF	1-3/4"	3'-0"	6'-10"	HM			FR-1B	4-A9.10.40	4-A9.10.40		3	
CL-B1-4-82	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-4-83	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-B1-4-84	UPS ROOM	F	--	3'-0"	6'-10"	WIRE MESH			STEEL	PER SPEC.	PER SPEC.		28	

LEVEL 1

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-1-1-1	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-2	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-3	GREEN ROOM	FF	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		18A	PROVIDED PER ALTERNATE #1C
CL-1-1-4	STAIR NO. 12	F	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4" PROVIDED PER ALTERNATE #1C
CL-1-1-5	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-6	ELECTRICAL ROOM	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-1-1-7	CLOSET	F	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		4B	PROVIDED PER ALTERNATE #1C
CL-1-1-8	STAIR NO. 11	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		19	
CL-1-1-9A	STAIR NO. 2	F	1-3/4"	3'-0"	6'-10"	HM		1-1/2 HR.	FR-1B	4-A9.10.40	4-A9.10.40		19	
CL-1-1-9B	STAIR NO. 2	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		20	
CL-1-1-10A	VESTIBULE	FF	1-3/4"	6'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		27	
CL-1-1-10B	VESTIBULE	FF	1-3/4"	6'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		21	PROVIDED PER ALTERNATE #1C
CL-1-1-11	PROJECTION ROOM	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		10A	PROVIDED PER ALTERNATE #1C
CL-1-1-12A	VESTIBULE	FF	1-3/4"	6'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		21	PROVIDED PER ALTERNATE #1C
CL-1-1-12B	VESTIBULE	FF	1-3/4"	6'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		27	
CL-1-1-13	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-14A	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP		ALUM	36-A8.20.42	36-A8.20.42		12A	SEE 3-A5.10.47; ACCESS CONTROL
CL-1-1-14B	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1/4"TEMP		ALUM	36-A8.20.42	36-A8.20.42		12	SEE ELEV. 3-A5.10.47
CL-1-1-14C	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.42	38-A8.20.42		13A	TEMPERED GLASS
CL-1-1-14D	VESTIBULE	HH	1-3/4"	6'-0"	7'-1"	ALUM	1"INSUL		ALUM	38-A8.20.42	38-A8.20.42		13A	TEMPERED GLASS
CL-1-1-15	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-16	ELEVATOR LOBBY	FF	1-3/4"	6'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	6-A9.10.40		9	
CL-1-1-17	COAT ROOM	F	1-3/4"	3'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		10A	
CL-1-1-18A	ATRIUM	FF	1-3/4"	6'-0"	7'-1"	HM		3/4 HR.	FR-1A	1-A9.10.40	6,7-A9.10.40		9	SEE ELEVATION 1-A5.10.47
CL-1-1-18B	ATRIUM	FF	1-3/4"	6'-0"	6'-10"	WOOD		3/4HR.	FR-1A	1-A9.10.40	1-A9.10.40		9	
CL-1-1-19	JANITOR'S CLOSET	L	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		4B	
CL-1-1-20	WOMEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-1-1-21	MEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-1-1-22	ELECTRICAL	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-1-1-23	TELEPHONE	F	1-3/4"	3'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-1-1-24	CORRIDOR	HH	1-3/4"	6'-0"	7'-1"	HM	1/4"TEMP	3/4 HR.	FR-1A	3-A9.10.40	6,7-A9.10.40		9	SEE ELEVATION 1-A5.10.47
CL-1-1-25A	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		20	
CL-1-1-25B	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		20	
CL-1-1-26A	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		20	
CL-1-1-26B	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		20	
CL-1-1-26C	CONFERENCE	C	1-3/4"	3'-0"	7'-1"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		20	
CL-1-1-26D	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-27	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-28	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-1-29	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	

DOOR (DBL. LETTER INDICATES PAIR)								FIRE		DOOR DETAILS			HARDWARE	REMARKS
DOOR #	ROOM NAME	TYPE	THICK	WIDTH	HEIGHT	MAT'L	GLASS	RATING	FRAME #	HEAD	JAMBS	THRESHOLD	GROUP	
CL-1-2-30	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-31A	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		18	
CL-1-2-31B	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		18	
CL-1-2-32A	CONFERENCE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		18	
CL-1-2-32B	CONFERENCE	C	1-3/4"	3'-0"	7'-1"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	1-A9.10.40	1,3-A9.10.40		18	
CL-1-2-33	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-34	JANITOR/STORAGE	L	1-3/4"	3'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	
CL-1-2-35	ELEVATOR LOBBY	FF	1-3/4"	6'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	6-A9.10.40		9	
CL-1-2-36	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-37	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-38	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-39	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-40	COPY/STORAGE	F	1-3/4"	3'-0"	6'-10"	WOOD		3/4 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5A	
CL-1-2-41	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-42	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-43	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-44	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-45	TELEPHONE	F	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-1-2-46	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-47	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-48	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-49	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-50	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-51	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-52	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-1-2-53	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-1-2-54	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-1-2-55	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1-A9.10.40		10	
CL-1-2-56	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-57	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-58	OFFICE	C	1-3/4"	3'-0"	6'-10"	WOOD	1/4"TEMP		FR-1A	1-A9.10.40	1,3-A9.10.40		10	
CL-1-2-59	ELECTRICAL	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		4	UNDERCUT DOOR 3/4"
CL-1-2-60	STAIR NO. 1	F	1-3/4"	3'-0"	6'-10"	WOOD		1-1/2 HR.	FR-1A	1-A9.10.40	1-A9.10.40		5	
CL-1-2-61	CORRIDOR	TT	1-3/4"	6'-0"	6'-10"	WOOD	1/4"TEMP	3/4 HR.	FR-1A	3-A9.10.40	6-A9.10.40		9	GLASS TRANSOM TO 9'-4"
CL-1-2-62	MEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-1-2-63	WOMEN'S TOILET	L	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		8	
CL-1-2-64	COFFEE	F	1-3/4"	3'-0"	6'-10"	WOOD			FR-1A	1-A9.10.40	1-A9.10.40		5A	
CL-1-2-65	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-66	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-67	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	
CL-1-2-68	NOT USED	--	--	--	--	--	--	--	--	--	--	--	--	

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

SECTION AND DETAIL KEY: NUMBER OF SECTION OR DETAIL / DRAWING ON WHICH SECTION OR DETAIL IS SHOWN OR TAKEN

THIS DOCUMENT CONTROLLED BY CHANGE CONTROL SYSTEM 4

ENGINEERING PROCEDURE SNS-ENG-G001

REV	CHANGE TYPE	CHANGE CONTROL SYSTEM	CHANGE REQUEST NUMBER	DESCRIPTION	DSN	CHK	DEPT	DATE	PE	DATE	PJ	DATE	REQ	DATE	UTB	DATE	RPE	RPE NO	DATE	ST	CV	EC	EE	EM	IE	M	PD	SE	AR
1				CERTIFIED FOR CONSTRUCTION - 12/20/01	CF	ED			[signature]	12/01	[signature]	12/01			[signature]	12/26/01	RLB	102104	12/20/01	RW	AW	BWJ	PD	BWJ	BWJ	--	BWJ	--	ED
0	–	–	–	CERTIFIED FOR CONSTRUCTION - MAY 15, 2001	CF	ED			CLG	9/6/01	JS	8/21/01			JRL	9/25/01	RLB	102104	5/15/01	SC	AW	WRS	RL	WRS	BWJ	--	WRS	--	WAS

REVISION OR ISSUE PURPOSE · REVISION APPROVALS · SQUAD CHECK

RPE: ROBERT L. BARNES · REGISTERED ARCHITECT · NO. 102104 · STATE OF TENNESSEE · 12/12/01

DSN	H. BAUMAN	5/15/01
DRW	A. OWENS	5/15/01
CHK	E. DENSON	5/15/01
DEPT		
PE	C.L. GARREN	9/6/01
PJ	J. STELLERN	8/21/01
REQ		
UTB	J.R. LAWSON	9/25/01

REV. DATE · DRAWING APPROVALS

108031400-A8E-8600-A171

Knight/Jacobs Joint Venture
701 Scarboro Road, MS 8253
Oak Ridge, TN 37830
865-241-9433
fax 865-241-3400

KNIGHT
Knight Advanced Technology
549 West Randolph Street
Chicago, IL 60661

UT-BATTELLE
Oak Ridge National Laboratory
managed for the DEPARTMENT OF ENERGY under U.S. GOVERNMENT contract DE-AC05-00OR22725
UT-BATTELLE, LLC, Oak Ridge, Tennessee

PROJECT NAME:

SPALLATION NEUTRON SOURCE

CENTRAL LAB AND OFFICE BUILDING DOOR SCHEDULE SHEET 1 OF 4

1	48	49	50	PLANT	BLDG	FL	SH.	OF	TYPE	CLASS
3	A	X	X	8	8600		1	1	G	U
51	52	53		WBS			A7.30.40			REV
NC	NA			1.8.3.14						1

AutoCAD

Date: 12/17/2001 Time: 20:30:12