

SPECIAL CONDITIONS NOTES

NOTE A: CONTRACTOR SHALL INSURE ALL WALLS ARE PROPERLY REINFORCED TO SUPPORT ALL WALL AND/OR CEILING SUPPORTED EQUIPMENT

NOTE B: NOT USED.

NOTE C: NOT USED.

NOTE D: NOT USED.

NOTE E: CONTRACTOR SHALL INSURE WALL DEPTH IS SUFFICIENT TO RECEIVE RECESSED EQUIPMENT PROVIDED BY KEC.

NOTE F: CONTRACTOR SHALL PROVIDE 4" (100mm) DIA RACEWAY (PVC, EMT OR OTHER MATERIAL REQUIRED BY CODE) TO RUN SODA LINES BY KEC. ALL BENDS TO BE EASY SWEEPS (24" (600mm) RADIUS MIN) CONTRACTOR TO RUN FROM SODA SYSTEM(S) TO POINT(S) SHOWN FOR SODA HEADS. RUN CONDUIT ON UNDERSIDE OF SLAB OR ABOVE FINISHED CEILING AS INDICATED AND PROVIDE SUPPORT AS REQUIRED.

NOTE G: CONTRACTOR SHALL PROVIDE 2" (50mm) DIA RACEWAY (PVC, EMT OR OTHER MATERIAL REQUIRED BY CODE) FOR RUN OF COMPUTER GRADE CONDUIT. ALL BENDS TO BE EASY SWEEPS (18" (450mm) RADIUS MIN). CONTRACTOR TO RUN FROM CASHIER COUNTER(S) TO POINT(S) SHOWN.

NOTE H: NOT USED.

NOTE I: CONTRACTOR SHALL PROVIDE REMOVABLE LOUVERED PANELS FOR VENTILATION OF COMPRESSOR.

NOTE J: NOT USED.

NOTE K: NOT USED.

NOTE L: CONTRACTOR SHALL VERIFY INSTALLATION HEIGHT OF FINISHED CEILING WITH FOODSERVICE EQUIPMENT BELOW AS SHOWN.

NOTE M: 6" HIGH MASONRY CURB BY G.C. COORDINATE EXACT LOCATION AND DETAILS WITH KITCHEN CONTRACTOR.


AutoCAD
 REV DATE: 07-26-07
 REV DESG: REVISIONS
 BY: JAE 09-20-07

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

NUMBER OF SECTION OR DETAIL
 DRAWING ON WHICH SECTION OR DETAIL IS SHOWN OR TAKEN
SECTION AND DETAIL KEY

THIS DOCUMENT CONTROLLED BY
 CHANGE CONTROL SYSTEM
 ENGINEERING PROCEDURE: SNS-ENG-001

REV	DATE	DESCRIPTION	DESIGN	CHK	DEPT	DATE	PE	DATE	PJ	DATE	REQ	DATE	UTB	DATE	RPE	RPE NO	DATE
0		CERTIFIED FOR CONSTRUCTION - 05152001	ADI	GB													



DSN	A. IAIA	5/15/2001
DRW	G. BAGGOTT	5/15/2001
CHK	A. IAIA	5/15/2001
DEPT		
PE	<i>[Signature]</i>	9/1/07
PJ	<i>[Signature]</i>	8/16/07
REQ		

SNS DRAWING NO. 108031400-K8E-8600-A002

Knight Jacobs
 Knight Jacobs Joint Venture
 701 Scotland Road, MS 37833
 Oak Ridge, TN 37830
 865-241-9433
 fax 865-241-3400

CINI-LITTLE
 CINI-LITTLE INTERNATIONAL, INC.
 9900 NORTH WINDSOR ROAD, SUITE 207
 SCHWARTZBURG, IL 60196
 PHONE: (630) 739-9000
 FAX: (630) 739-9017

UT-BATTELLE
 Oak Ridge National Laboratory
 managed for the DEPARTMENT OF ENERGY under
 U.S. GOVERNMENT contract DE-AC05-00OR22725
 41-097111-1, 41-097111-2, 41-097111-3

PROJECT NAME:
**SPALLATION NEUTRON SOURCE
 FOODSERVICE EQUIPMENT
 SPECIAL CONDITIONS
 PLAN**

1	4B	49	50	PLANT	8155	FL	SH	OF	TYPE	CLASS
3	K	X	X	8	8600	B-1	1	1	L	U
51		52	53	WBS	1.8.3.14				K-12	0
NC	NA	IN								