


INSTRUMENT

BEAM LINE

3

SPALLATION NEUTRON SOURCE


Fact Sheet



SNAP – SPALLATION NEUTRONS AND PRESSURE DIFFRACTOMETER

The Spallation Neutrons And Pressure (SNAP) diffractometer, a high-flux, medium-resolution instrument, is used to study a variety of powdered, single-crystal, and amorphous materials under extreme pressure and temperature. The increased neutron flux coupled with large-volume pressure cells using large synthetic single-crystal opposed anvils significantly extends the pressure range currently accessible with the technique of neutron diffraction. The goal is to routinely achieve pressures of 50 to 100 GPa for a sample on the order of 1 mm³, though this is not routinely available at this time commissioning

type experimental collaborations are welcome. In addition, recent advances in next-generation detectors will allow the incident beam-focusing optics, pressure chamber, and detector array to be highly integrated, providing a flexible facility for materials studies under extreme conditions.



SPECIFICATIONS

Moderator	Decoupled poisoned supercritical hydrogen
Source-to-sample distance	15 m
Sample-to-detector distance	50 cm
Angular coverage	26° > 20 > 138° horizontal ±34° vertical

Wavelength range (bandwidth)	
Pressure range	<25 GPa
Temperature range	100-1500 K (w/ reduced pressure range)
Focused beam size	From 1 cm to <100 μm
Liquids and glasses	Q min = 0.7 Å ⁻¹ Q max = 17 Å ⁻¹
	At 2θ = 90° (crystalline powder) 0.5 ≤ d ≤ 8.0 Å ⁻¹
	At 2θ = 35° (glasses & liquids) 0.7 ≤ d ≤ 17 Å ⁻¹

Status: Available to users

APPLICATIONS

SNAP offers new opportunities for scientific studies involving the following:

- Hydrogen under extreme conditions
- Real-time in situ monitoring of “real rocks” as an analogue to the down-going slab in the subduction context
- Planetary ices—structure and strength of ices under pressure
- Silicate melts—glasses at high pressure and temperature and the dynamical changes occurring during heating and pressurization
- Strength and rheology of materials and the relationship to brittle and ductile failure, including stress release as a function of time
- Structural changes accompanying transitions in Fullerenes and their derivatives
- Hydrogen bonding in organic and inorganic systems as a function of pressure and temperature, including liquids

FOR MORE INFORMATION, CONTACT

Instrument Scientist: Chris Tulk, tulkca@ornl.gov, 865.574.5764

Instrument Scientist: A. Moreira dos Santos, dossantosam@ornl.gov, 865.576.5218

Scientific Associate: Jamie Molaison, molaisonjj@ornl.gov, 865.235.4114

Scientific Associate: Neelam Pradhan, pradhann@ornl.gov, 865.241.2666

neutrons.ornl.gov/snap



February 2012